

Copyright is owned by the Author of the thesis. Permission is given for a copy to be downloaded by an individual for the purpose of research and private study only. The thesis may not be reproduced elsewhere without the permission of the Author.

ESTIMATION OF IMPORTANT GENETIC AND PHENOTYPIC
PARAMETERS OF SOME PRODUCTIVE TRAITS IN
THE NEW ZEALAND ROMNEY MARSH SHEEP

A thesis presented in partial fulfilment of the requirements
for the degree of Master of Agricultural Science
at
Massey University

LAXMAN PRASAD TRIPATHY

1966

A C K N O W L E D G E M E N T S

The candidate is greatly obliged for the guidance of his supervisors, Professor A.L. Rae and Mr T.S. Ch'ang.

Special thanks are due to Mr B. Thatcher for his assistance in compiling the data, and to Miss M.G. Campbell and her library staff for promptly procuring the reference articles used in this work.

Grateful acknowledgement is made to Miss E. Christiansen for taking a special care in typing this thesis and to Miss J. Clare and Miss N. Gordon for their help in the processing of data.

This work was made possible because of the Colombo Plan Scholarship awarded to the candidate and for this he wishes to express his gratitude to the Government of New Zealand.

T A B L E O F C O N T E N T S

<u>Chapter</u>		<u>Page</u>
	ACKNOWLEDGEMENTS	
I	<u>INTRODUCTION</u>	1
II	<u>REVIEW OF LITERATURE</u>	
	A. INTRODUCTION	5
	B. GREASY FLEECE WEIGHT	6
	1. Environmental effects.	6
	2. Estimates of parameters	11
	3. Summary	12
	C. HOGGET LIVE WEIGHT	13
	1. Environmental effects.	13
	2. Estimates of parameters	14
	3. Summary	16
	D. HAIRINESS	16
	1. Environmental effects.	16
	2. Estimates of parameters	18
	3. Summary	19
	E. MEAN FIBRE DIAMETER.	19
	1. Environmental effects.	19
	2. Estimates of parameters	21
	3. Summary	23

<u>Chapter</u>	<u>Page</u>
F. STAPLE LENGTH	24
1. Environmental effects	24
2. Estimates of parameters	25
3. Summary	26
G. CRIMPS PER INCH	26
1. Environmental effects	26
2. Estimates of parameters	27
3. Summary	27
III <u>SOURCE OF DATA</u>	28
IV <u>METHOD OF ANALYSIS AND RESULTS</u>	31
A. ESTIMATION OF ENVIRONMENTAL EFFECTS	31
1. Least squares model	32
2. Results and discussion	40
B. CORRECTION FACTORS	47
1. Introduction	47
2. Correction factors for adjusting dam's records	48
2a. Least squares model	48
2b. Results and discussion	48
C. CORRECTION FACTORS FOR ADJUSTING DAUGHTER'S RECORDS	52
1. Least squares model	52
2. Results and discussion	52

<u>Chapter</u>		<u>Page</u>
	D. HERITABILITY ESTIMATES	55
	1. Introduction	55
	2. Method of analysis	56
	3. Results and discussion	58
	E. ESTIMATION OF PHENOTYPIC AND GENETIC CORRELATIONS	61
	1. Introduction	61
	2. Method of analysis	64
	3. Results and discussion	72
V	<u>DISCUSSION</u>	79
VI	<u>SUMMARY</u>	86
VII	<u>REFERENCES</u>	89

L I S T O F T A B L E S

<u>Table</u>		<u>Page</u>
1	Heritability estimates (reported in the literature).	7
2	Genetic correlations (reported in the literature).	8
3	Phenotypic correlations (reported in the literature).	9
4	Variance-covariance matrix (matrix A).	35
5	Variance-covariance matrix (matrix B).	36
6	Variance-covariance matrix (matrix C).	37
7	Least squares estimates of effects.	43
8	Analysis of variance of the least squares estimates.	44
9	Comparison of effects within the classes.	45
9a	Percentage of the total variance.	46

<u>Table</u>		<u>Page</u>
10	Estimates of effects for correcting dams' records.	49
11	Correction factors for dams' records.	51
12	Estimates of effects for correcting daughters' records.	53
13	Correction factors for daughters' records.	54
14	Additional R.H.S.'s for B and C matrices	68
15	Variance-covariance matrix (matrix D).	69
16	Phenotypic variances, standard deviations and covariances.	70
17	Phenotypic correlations (this study).	73
18	Genetic covariances.	74
19	Genetic standard deviations, correlations and standard errors (this study).	75
20	Heritability estimates (this study).	76

"The qualitative, or enumeration data, are classified on the 'passed' or 'failed' basis. The little Victorian servant girl, who confided to her mistress that she was just a tiny bit pregnant, would fall straight into the 'pregnant' class. In quantitative data, every individual has a class, or measurement of its own."

- H.H. Holman (1962)